



TransDev®
THE POWER IN MOTION

Motion component manufacturer
and distributor since 1965



★★★★★
60+ yrs
EXPERIENCE


70,000 sq m
OWNED FLOOR SPACE


£11M+
TURNOVER


4500+
GLOBAL CUSTOMERS

NEW

THE POWER IN MOTION

For over 60 years, TransDev has been a trusted partner in the manufacture and supply of industrial power transmission, conveying and motion solutions.

Combining technical expertise with extensive stock holdings and in-house manufacturing capabilities, we deliver high-quality components and engineered solutions to customers across a wide range of industries. TransDev are a specialist manufacturer of custom components, and a leading distributor for internationally recognised brands. We are committed to helping businesses improve performance, reduce downtime, and achieve operational excellence through reliable products, expert support and exceptional service.


SPECIAL BELTS


LINEAR MOTION


PLASTICS


MANUFACTURING


SERVICES


DIRECT



Based in Dorset on the South coast.

Major brands backed by TransDev expertise

TransDev is the UK distributor of the market leading BRECO®, BRECOFLEX®, CONTI® SYNCHROFLEX® and SYNCHROCHAIN® belting brands. These are joined by even more carefully chosen brands, covering belting, chain, gears, bearings, linear, hardware, hoses and plastics. These include VOLTA®, WIPPERMANN®, TYC®, IKO®, and RESATEC® to name a few!




TIMING BELTS




Belting Technology






Proof of Quality

TRANSFLEX

VFLEX

POLYVFLEX

TRANSBACK

TRANSGRIP













TRANSFLAT

DRIVEFLEX

TRANSLOCK

DRIVELOCK

TRANSPLAS

DELIVERING QUALITY PRODUCTS

Whether for powering, conveying, pulling, lifting, transporting, pumping, extracting, spraying or other forms of motion, TransDev offers a vast range of components.



BELTS



PULLEYS



CHAIN



SPROCKETS



GEARS



BEARINGS



LINEAR



HARDWARE



PLASTICS



NEW HOSES

Distribution

With over 62,000 product lines available, TransDev has one of the largest selections of motion products in the UK.

Our warehouse facility boasts six state-of-the-art Kardex® machines, providing a storage capacity of 31,200 m².

Kardex Machine storage keeps components clean, dust free and dramatically reduces the risk of damage. Its integrated pick-to-light technology ensures a high picking accuracy level.

In addition, TransDev also has over 1,600 m² of static racking, with elevated Order Pickers providing quick and easy access.

Delivery

Next Day Express Delivery to UK mainland locations is available on many standard lines. Place an order for in stock, standard components before 4.30pm and we will dispatch the same day.



Over £5m
OF STOCK



62,000+
PRODUCT LINES



Next day delivery
AVAILABLE

TransDev
DIRECT

ONLINE ORDERING

www.transdevdirect.co.uk

The fast and easy way to order power transmission, lifting and conveying products.



Special Belts

TransDev has the largest Special Belt machining capabilities in the UK. We utilise CNC machinery to grind, slit, punch and slot belts and can also manufacture, fit and grind standard or specially made profiles of any shape up to 800mm in width. Our specialist machines can weld toothed belts up to 460mm wide and are among the fastest in our industry.

Autoclaved Belts

TransDev continuously backed timing belts ensure that there is no join to fail as the backing is an integral part of the belt.

- Can run in either direction
- 10 special types of rubber held in stock
- New materials can be developed to suit your special requirements
- All of the popular Drawdown (VFFS), Haul-down belts and Sausage Belts are available from stock.

BELT BACKINGS

TransDev typically produces over 600 backed belts each month, with 26 different backing materials available, all from stock.

Whether your project needs high friction, low friction, soft, hard or compressible backings, Transback special backings are available to suit all applications. Vulcanized backings (no joint) are available on belts up to 3 metres and we can provide CNC grinding, grooving and slitting of belts up to 120 metres in length. Bonded materials are available to suit many applications, and all belt backings can be specially machined/ground to drawing.

TransDev
SPECIAL BELTS



CREATING BESPOKE SOLUTIONS

Our ability to manufacture the widest possible range of components, sizes and options sets us apart. Whether it is rework, standard or bespoke specifications we can deliver.

Special Manufacturing

With our well established Dorset based manufacturing facilities, TransDev is the UK's largest manufacturer of Pulleys, Gears and Sprockets.

With a capacity from 4mm to 1 metre in diameter, we utilise manual and CNC machining, across manned and unmanned shifts. Our comprehensive standard range of components includes large gear, pulley and sprocket stocks ready for rapid rework. Made-to-drawing items are also a speciality.



NEW
SERVICES

Why TransDev Special Manufacturing?

- **17,000** pulleys, gears and sprockets manufactured per month (average)
- **EXPERTS** in gear cutting, supported by a dedicated manufacturing sales team with exceptional product knowledge
- **WORLD CLASS** MRP system, with barcode tracking
- **OVER £300,000** of tooling covering all Synchoflex®, Breco®, Synchrochain®, HTD®, Imperial; Polychain®, Eagle®; Clamp plates; Gears & Sprockets pitches



SURFACE FINISHING

An in-house, state-of-the-art facility offers: Aluminium Anodising, Clear Suplphuric Anodise, Colour Anodise, Hard Anodise. Carbon Steel Plating Zinc Plating, Clear and Colour Passivation, Chemi Blacking.



WATER JET CUTTING

Exceptional precision and reproducibility for cutting and machining Pulleys, Sprockets, Belt backing materials and Plastics. Ideal for pulley and sprocket lightening holes as well as a wide range of materials.



Plastic Materials and Machining

Created over 30 years ago, TransDev Plastics is our dedicated Plastics Division.

It is now a major supplier nationwide of such items as chain and belt guides, bespoke machined components from sheet UHMWPe, as well as engineering and display plastics.

With our experience of plastics stocking, distribution and our reputation for good service, you can depend on TransDev Plastics. Our expert telephone sales staff are able to give assistance on materials machining and handling.

The TransDev Plastics Division has four areas of operation:

- **TRANSPLAS** machined stock shapes, covering primarily Polyethylene Wear Strip materials and a vast range of extruded profiles
- **ENGINEERING PLASTIC** stock range, covering semi-finished rod and sheet materials
- **DISPLAY PLASTIC** stock range, including Policril acrylic sheets
- **MACHINING** of plastic signage, machine guarding, point-of-sale and architectural elements etc.

INJECTION MOULDING

TransDev's versatile injection moulding service produces a range of pulleys, gears and belt profiles, as well as products for a wide range of industries. We can support short and long runs of product, whilst providing advice on the entire process; from inception through to delivery.

TRANSMOULD

PU BELTS

SYNCHROFLEX AT & T BELTS

TYPE: Truly Endless, Standard, Gen III, Double-Sided
PITCH: K1.5, MP, T2, T2.5, T5, T10, T20, AT3, AT5, AT10, ATP10, AT20

Continental

BRECO AT & T BELTS

TYPE: Open Length, Joined, Double & Single-Sided, Standard, Classic
PITCH: AT3, AT5, ATL5, AT10, ATL10, AT15, AT515, AT20, ATL20, T2.5, T5, T10, T20
OPTIONS: Tension Members, PAZ, PAR, Reinforced, Backings, Coatings, Material, Green

BREC

BRECOFLEX BELTS

TYPE: Endless, Double & Single-Sided
PITCH: AT3, AT5, AT10, ATP10, ATP15, AT515, AT20, T5, T10, T20
OPTIONS: Tension Members, PAZ, PAR, Reinforced, Backings, Coatings, Material, Green

BREC

SYNCHROCHAIN BELTS

TYPE: Standard, Carbon, Supreme
PITCH: 8M, 14MCTD

Continental

HTD BELTS

TYPE: Standard, Classic
PITCH: 3M, 5M, 8M, 14M, 20M
OPTIONS: Tension Members, PAZ, PAR, Coatings

Continental

BRECObasic® TIMING BELTS

TYPE: Open Length, Joined
PITCH: AT10, T10, TK10K13
OPTIONS: Coatings

BREC

BRECOprotect® TIMING BELTS

TYPE: Toothed, Flat, Open Length, Joined
PITCH: AT5, AT10, AT15, AT20, T10, T20, F3

BREC

BRECOFLEXMOVE® & BRECOMOVE® TIMING BELTS

TYPE: Open Length, Joined
PITCH: AT5, AT8, AT10, AT15

BREC

BRECflex

RUBBER BELTS

HTD BELTS

TYPE: Double & Single-Sided
PITCH: 3M, 5M, 8M, 14M

Continental TRANSFLEX

CONTI SYNCHROFORCE BELTS

TYPE: Double & Single-Sided
PITCH: CXP3M, CXP5M, CXP8M, CXP14M

Continental

IMPERIAL PITCH BELTS

TYPE: Double & Single-Sided
PITCH: MXL, XL, L, H, XH

Continental TRANSFLEX POWER

CONTI SILENTSYNC BELTS

TYPE: Y, W, P, B, G, O, R
PITCH: 8M, 14M
LENGTH: 640-3920mm

SEE PAGE 11 FOR SPECIAL MANUFACTURED PULLEYS

Continental

LAWN & GARDEN BELTS

TYPE: Double & Single-Sided
SECTION: 3L, 4L, 5L, AA, BB

Continental VFLEX GARDEN

Gates PowerRated® V-Belts

VEE BELTS (Wrapped Wedge)

TYPE: Wrapped Wedge
SECTION: SPA, SPB, SPC, SPZ

Continental VFLEX

RUBBER FLAT BELTS

TYPE: Flat
LENGTH: 330-3100mm
THICKNESS: 1mm

Continental TRANSFLAT

SPECIAL BELTS

ESBAND BELTING

TYPE: Conveyor Belts, Truly Endless Flat belts, Squeeze Belts, Checkweigher Belts, Rollers
MATERIAL: Polychloroprene, Polyurethane 55

Schletterer Esband

HAUL-OFF BELTS

FEATURES: Large base belt stocks, 20+ cover types, Full machine shop profiling

TRANSGRIP

DRAWDOWN BELTS

FEATURES: Bi-directional moulded belts, Huge stocked range
MATERIAL: Rubber Base Belts
OPTIONS: 40 ShA & 60 ShA available

TRANSGRIP

ANTI STATIC BELTS

FEATURES: Post manufacturing electrically conductive black coating
AVAILABILITY: All Polychloroprene type rubber timing belts and 3 different PU belt substrates

TransDev SPECIAL BELTS

TUBE WINDER BELTS

FEATURES: Over 6 belt types, Smooth & Textured Surfaces, Strong construction
MATERIAL: Nitrile Butadiene Rubber

TRANSGRIP Schletterer Esband

SAUSAGE BELTS

FEATURES: (Tictac) Single & Double Moulded Layer FDA approved material, can be run in either direction

TRANSGRIP

BELT BACKINGS

FEATURES: Combitec backings, Precision back, edge, face grinding and pocketing,

TRANSGRIP TRANSBACK

PROFIED, SPECIAL & MECHANICALLY REWORKED BELTS

TransDev SPECIAL BELTS

MEASURING TOOLS

TYPE: Tension, Alignment

Continental mulco THE POWER OF A WELL-RECORDED GROUP

SYNCHROCHAIN CARBON

- Reliable power transmission
- For high torque and high dynamic loads
- Oil, grease and fuel resistant

COMPONENTS IN MOTION

The energy industry demands high performance and reliability. TransDev's range of Timing Belts combined with our specialist expertise offers the perfect solution.

T & AT PULLEYS

TYPE: Pilot Bore
PITCH: T2.5, T5, T10 AT3, AT5, AT10
MATERIAL: Aluminium
DRIVEFLEX



HTD PULLEYS

TYPE: Pilot & Taper Bore
PITCH: 3M, 5M, 8M, 14M
MATERIAL: Steel, Cast Iron, Aluminium
DRIVEFLEX Martin



BAR STOCK

PITCH: T2.5, T5, T10, AT5, AT10, MXL, L, XL, 3M, 5M
MATERIAL: Aluminium
DRIVEFLEX



VEE PULLEYS

SECTION: SPA, SPB, SPC, SPZ
MATERIAL: Steel, Cast Iron (Black Phosphated)
DRIVEFLEX Martin



POLY VEE PULLEYS

TYPE: Pilot & Taper Bore
SECTION: J, L
DRIVEFLEX



POLY & SYNCHROCHAIN PULLEYS

TYPE: Pilot & Taper Bore
PITCH: 8M, 14M
MATERIAL: Steel, Cast Iron
DRIVEFLEX Martin




IMPERIAL PITCH PULLEYS

TYPE: Pilot & Taper Bore
PITCH: MXL, L, XL, H, XH, XXH
MATERIAL: Steel, Cast Iron, Aluminium, Polycarbonate (Glass Filled)
DRIVEFLEX



CLAMP PLATES

PITCH: AT, BAT, BATK, ATS, ATL, T, IMP, HTD
MATERIAL: Aluminium
DRIVEFLEX BREG MULCO



TENSION ROLLERS

TYPE: T, AT, BAT
MATERIAL: Steel, Aluminium
DRIVEFLEX




ROLLER CHAIN

TYPE: British & American Standard, Simplex, Duplex, Triplex
MATERIAL: Steel, Stainless Steel, Nickel-Plated
WIPPERMANN WITRA TYCO DID



ATTACHMENT CHAIN

TYPE: British & American Standard, Single & double-sided
MATERIAL: Stainless Steel, Steel
ATTACHMENTS: Straight, Bent
WIPPERMANN WITRA TYCO



ACCUMULATOR CHAIN

MATERIAL: Steel, Stainless Steel
WIPPERMANN



EXTENDED PITCH CHAIN

TYPE: British & American Standard
MATERIAL: Stainless Steel, Steel
WIPPERMANN WITRA TYCO



HEAVY DUTY CHAIN

TYPE: American Standard, Simplex, Duplex, Triplex
MATERIAL: Steel
WIPPERMANN WITRA TYCO



LEAF CHAIN

TYPE: AL, BL, LL, U
MATERIAL: Steel
WIPPERMANN WITRA TYCO



MAINTENANCE-FREE CHAIN

BRANDS: MARATHON, BIATHLON, TRIATHLON
TYPE: Simplex, Duplex, Triplex
VARIANT: Standard, Straight Sided, Double Pitch
MATERIAL: Coated High Grade Steel, Stainless Steel, Polymers
WIPPERMANN




SELF-LUBE CHAIN

TYPE: American Standard, Standard & Large Rollers
MATERIAL: Steel
TYCO



HOLLOW PIN CHAIN

TYPE: British & American Standard, Standard & Large Rollers
PITCH: Single & Double
MATERIAL: Steel, Stainless Steel
WIPPERMANN TYCO



STRAIGHT SIDE CHAIN

TYPE: British & American Standard, Simplex, Duplex
MATERIAL: Steel, Stainless Steel
WIPPERMANN WITRA TYCO



SIDEBOW CHAIN

TYPE: American Standard, Sidebow, Extended Pitch, Special Sidebow
MATERIAL: Steel, Stainless Steel
TYCO



SNAP-ON CHAIN

TYPE: American Standard, ASA 43 & 63
MATERIAL: Stainless Steel, Nickel Plated
TYCO



EASY BREAK CHAIN

TYPE: Copperhead, British Standard, Simplex, Duplex, Triplex, ISO 606
MATERIAL: Steel
WIPPERMANN



BICYCLE & MOTORBIKE CHAIN

TYPE: British Standard, Simplex, To DIN 8188 ISO 606
MATERIAL: Steel
TYCO DID



KART CHAIN

TYPE: British Standard, K127
MATERIAL: Steel
WIPPERMANN



ENVIRONMENT RESISTANT CHAINS

TYPE: Environment Resistant & Ultimate Life
MATERIAL: Steel, Stainless Steel, Nickel Plated
DID



BRITISH STANDARD SPROCKETS

TYPE: Simplex, Duplex, Triplex
BORE: Pilot & Taper Bore
MATERIAL: Steel, Stainless Steel, Cast Iron
DRIVEFLEX Martin



AMERICAN STANDARD SPROCKETS

TYPE: Simplex, to DIN 8187 ISO/ R 606 – ANSI B29.1
BORE: Pilot Bore
MATERIAL: Steel
DRIVEFLEX



PLATEWHEELS

TYPE: British Standard, Simplex, Duplex, Triplex, to DIN 8187 ISO
BORE: Pilot Bore
MATERIAL: Steel
DRIVEFLEX



CHAIN TORQUE LIMITERS

TYPE: TL25-TL70
MAX TORQUE: 5-1800 Nm
MATERIAL: Steel
DRIVEFLEX



WELD ON HUBS

BUSH SIZE: 1210-5040
BORE: Taper Bore
MATERIAL: Steel
DRIVEFLEX



CHAIN TOOLS

TYPE: Breakers, Pullers, Tensioners, Wear Indicator
SEE PAGE 14 FOR MORE TENSIONERS
WIPPERMANN DRIVEFLEX



NEW
MARATHON
LIFT



Need a bespoke solution?

We custom manufacture **Pulleys and Sprockets** and offer **rapid rework options**.

TALK TO US ABOUT YOUR REQUIREMENTS



TransDev
MANUFACTURING

SPECIAL MANUFACTURING

- Pulley, Gear & Sprocket manufacture From 6 mm to 1 metre diameter including; internal and external gear cutting, milling, drilling & tapping and finishing treatments
- Rapid rework & modification From large stocks of standard components, including; keywaying, grub screws, additional flanges, hub removal and bore resizing




CHAIN ASSEMBLY

- Install of pins and links
- Riveting
- Attachment fitting
- Rubber blocks for Haul Off Chain

COMPONENTS IN MOTION

In the fast moving automated warehouse sector, TransDev's Pulleys, Chain and Sprockets ranges always deliver.



SPUR GEARS

TYPE: MOD, DP
PITCH: 0.5-8.0 (MOD), 4-32 (DP)
MATERIAL: Stainless Steel, Steel, Hostaform, Delrin, Glass Filled Nylon

DRIVEFLEX

MITRE GEARS

TYPE: MOD, DP
PITCH: 0.8-6.0 (MOD), 5-48 (DP)
MATERIAL: Steel, Hostaform, Glass Filled Nylon, Brass, Acetal/Delrin, Die-Cast Zinc, Nylon, Polyketone

DRIVEFLEX

BEVEL GEARS

TYPE: MOD, DP
PITCH: 0.5 - 5.0 (MOD) 12 (DP)
MATERIAL: Steel, Hostaform, Polyketone, Delrin

DRIVEFLEX

RACKS

TYPE: MOD, DP
PITCH: 0.5-8.0 (MOD), 4-32 (DP)
MATERIAL: Stainless Steel, Steel, Hostaform, Delrin, Glass Filled Nylon, Duracon

DRIVEFLEX

WORMS & WORMWHEELS

TYPE: MOD
PITCH: 0.5-6.0
MATERIAL: Steel, Bronze, Cast Iron

DRIVEFLEX



FEATURES: Integrated lubrication, Low and Maintenance-free running
LIFETIME: 5 years or 12,500 miles
OPTIONS: Food-grade

BALL TYPE ROLLING GUIDES

TYPE: High load, Compact, Ultra-compact, Low decibel, High rigidity, U-shaped track, Wide track, Axial/Moment/Torsion Loads
OPTIONS: Dust protection, Flanges
MATERIAL: Steel, Stainless Steel

IKO

CROSSED ROLLER WAY GUIDES

TYPE: Standard, Modular, Crossed, Anti-Creep
DESIGN: 4 ways/2 roller cages, 2 ways/1 cage, rack & pinion
MATERIAL: Steel, Stainless Steel

IKO

ROLLER TYPE ROLLING GUIDES

TYPE: Heavy duty, Low-profile, Block, Compact, Flanged, Axial/Shock loads, Anti-vibration
OPTIONS: Dust protection, interchangeable
MATERIAL: Steel, Stainless Steel

IKO

LINEAR SLIDE UNITS

TYPE: High rigidity, U-shaped
MATERIAL: Stainless Steel

IKO

MINIATURE CARRIAGES & RAIL

TYPE: Ball, Interchangeable
ACCURACY: High
MATERIAL: Stainless Steel

IKO

BALL SPLINE ROLLING GUIDES

FEATURES: Interchangeable, 4 Point contact, Double-row raceway
TYPE: External standard and flanged cylinders, standard and high rigidity
OPTIONS: Customisable cylinders, Solid or hollow shafts

IKO

BUSHINGS

FEATURES: Interchangeable,
TYPE: Linear, Rotary, Solid, Hollow, Miniature, Standard and high rigidity, Standard and Heavy load
OPTIONS: With/without shaft
MATERIAL: Steel, Stainless Steel

IKO

BALL SCREWS

TYPE: Right and left hand helix
DIAMETER: 6 to 80 mm (rolled screws) 4m to 120 mm (ground ball screws)

IKO DRIVEFLEX

BALL BEARINGS

TYPE: Radial Ball Bearings, Deep Groove Ball Bearings, Stainless Steel Popular Metrics, Miniature Ball Bearings, Angular Ball Bearings, Double Row Self Aligning Ball Bearings, Thin Section Ball Bearings, High Precision Ball Bearings, Thrust Bearings

ROLLER BEARINGS

TYPE: Tapered Roller Bearings, Spherical Roller Bearings, Cylindrical Roller Bearings, High Precision Bearings,

SPHERICAL ROLLER BEARINGS

TYPE: Standard and Medium duty
SEALS: Open and Sealed on both sides

NEEDLE BEARINGS

TYPE: Cage Assemblies, Drawn Cup, Machined rings, Self-aligning, Combined, Thrust, Cam followers, Support, Sleeved, Flanged

THERMOPLASTIC HOUSINGS

- Multiple colour options
- Stainless Steel inserts
- Hygienic and durable
- Low and high temperatures
- Chemical solvent resistant

TAPERED ROLLER BEARINGS

TYPE: 1, 2 and 4 rows
LOADS: High radial and axial loads in one direction

OTHER BEARINGS

TYPE: Rod End, Cam Followers, Split, Combined, Tension Levellers
Constant Velocity Joints,
FEATURES: Sensors, Solid Lubrication

DRIVEFLEX

MOUNTED UNITS

TYPE: UCPE, UCP, UCFC, UCFL, UCF, UCT, UCFL, UCFL, UCPA, Inserts
MATERIAL: Cast Iron, Steel, Stainless Steel, Thermoplastic

DRIVEFLEX

THRUST BEARINGS

TYPE: Low speed, high axial load, one direction
SHIELDS: None
SEALS: None

PLASTIC GUIDE RAILS

PRODUCTS: Stock, Custom
TYPE: Guides, Wear Strips, Glide Strips, Profiles, Scrolls, Feedworms, Corner Bends, Starwheels
GUIDES: Timing Belt, Vee Belt, Flat Belt, Round Belt, Chain

TRANSPLAS

SEMI FINISHED ENGINEERING PLASTICS

TYPE: Sheet, Rod
MATERIAL: Acetal, Nylon, Polyester, Polythene, Polypropylene, PTFE

TRANSPLAS

DISPLAY PLASTICS

TYPE: Sheet
MATERIAL: Cast Acrylic, Extruded Cast Acrylic, Polycarbonate, PETG, Foamed PVC, Aluminium Composite

IRAPEN PERSPEX

PLASTICS MACHINING

TransDev
MANUFACTURING

Need Linear Rail and Carriages?

We stock, cut rail and assemble carriages onsite for fast fulfilment of orders

TALK TO US ABOUT YOUR REQUIREMENTS




LINEAR GUIDES

- High precision motion
- Exceptional load capacity
- Long service life
- Compact and easy to integrate



COMPONENTS IN MOTION


Our Gear, Bearings and Linear ranges support a range of cutting-edge industrial applications



TAPER BUSHES

TYPE: 3 & 5 hole
SIZE: 1008-5050 (Metric & Imperial)
BORES: 10-125mm (3/8"-5")
MATERIAL: Steel, Stainless Steel

DRIVEFLEX *Martin*



SHAFT LOCKING ELEMENTS

SIZE: DL11-DL95
BORE TYPE: Metric, Imperial
BORE SIZE: 5-220mm
MATERIAL: Steel, Stainless Steel

DRIVELOCK



KEYLESS SHAFT LOCKING BUSHES

SIZE: Mini, Standard, STN
BORE TYPE: Metric, Imperial
BORE SIZE: 4-25mm (3/16"-3/4")
MATERIAL: Steel, Stainless Steel

TRANSLOCK



RIGID COUPLINGS

TYPE: One-Piece, Two-Piece
SERIES: RCS, RCSK, RCD
BORE TYPE: Metric
MATERIAL: Steel, Stainless Steel, Aluminium

DRIVEFLEX



BEAM COUPLINGS

TYPE: Set Screw, Clamp
SERIES: BCA, BCB, BCC, BCD, BCE, BCF, BCG, BCH
BORE TYPE: Metric, Imperial (BCG, BCH)
BORE SIZE: 3-12mm (0.25"-0.375")
MATERIAL: Stainless Steel, Aluminium

DRIVEFLEX



FLEXIBLE SHAFT COUPLINGS

TYPE: Insert, Hub, Hytrel Insert
SIZE: JL50-150
BORE: Pilot Bore

DRIVEFLEX



JAW COUPLINGS

TYPE: Insert, Hub, Hytrel Insert
SIZE: JL50-150
BORE: Pilot Bore

DRIVEFLEX *Martin*



CHAIN COUPLINGS

TYPE: Cover, Chain Coupling
SIZE: 3012-8022
BORE TYPE: Pilot Bore

DRIVEFLEX



NYLON SLEEVE GEAR COUPLINGS

TYPE: GF14-GF65
MAX BORE SIZE: 14-65mm
HUB: Standard, Long

DRIVEFLEX



TYRE COUPLINGS

TYPE: Internal Fitting, External Fitting, Tyre
SIZE: T040-T160
BORE TYPE: Taper Bore

DRIVEFLEX *Martin*



OTHER COUPLINGS

TYPE: Quadra-Flex Coupling, Blue-Flex Grid Coupling, Go-Flex Coupling

Martin



SHAFT COLLARS

TYPE: Shaft & Split Shaft Collars
BORE: Metric, Imperial
MATERIAL: Steel, Stainless Steel, Aluminium, Anti-corrosion finish

DRIVEFLEX



UNIVERSAL JOINTS

TYPE: Bored, Unbored, Single & Double Joints
MATERIAL: Steel, Stainless
VARIANTS: Standard, Long, Steel

DRIVEFLEX



TRAPEZOIDAL NUTS

TYPE: MLF, MZP, MES, HSN, FFR, HBD
MATERIAL: Steel (MLF, MZP, MES), Bronze (HSN, FFR, HBD)

DRIVEFLEX



TRAPEZOIDAL SCREWS

TYPE: KUE, KAF
MATERIAL: Carbon Steel (KUE), Stainless Steel (KAF)
THREAD: Right-Hand, Left-Hand, Multi-Start

DRIVEFLEX



UNIVERSAL TENSIONERS

TYPE: TE, TEi, TE-FB
APPLICATION: Belts, Chain
MATERIAL: Steel, Powder Coated

RESATEC



SPROCKET/ROLLER SETS

TYPE: KS, Chainrider, Roller Set
VARIANT: Simplex, Duplex, Triplex
APPLICATION: Chain, Vee Belts, Flat Belts, Toothed Belts

RESATEC



RUBBER SUSPENSION UNITS

TYPE: LTS, LTA, LTK-S, LTK-A
MATERIAL: Steel, Zinc Plated, Powder Coated

RESATEC



OSCILLATING MOUNTINGS

TYPE: OM, DH (Crankdrive Unit), CH, CE, DB, TB

RESATEC



ANTI-VIBRATION DAMPERS/ MOUNTINGS

TYPE: DVM, G1/GN1, G2/GN2, K1/KN2

RESATEC



LEVELLING FEET

TYPE: VP/IP (inox), KP, Plates

RESATEC



METRIC SPLINED SHAFTS

SPLINES: 6, 8
LENGTH: 1M
DIAMETER: 14-38mm
MATERIAL: Steel, Stainless Steel

DRIVEFLEX



METRIC SPLINED BUSHES

SPLINES: 6, 8
DIAMETER: 14-38mm
INSIDE DIAMETER: 11-32mm
MATERIAL: Steel, Stainless Steel


DRIVEFLEX



METRIC PARALLEL KEYS

TYPE: Round, Flat, Round/Flat
MATERIAL: Steel


DRIVEFLEX



METRIC KEY STEELS

LENGTH: 304.8mm (12"), 1000mm
WIDTH/HEIGHT: 3-14mm
MATERIAL: Steel

DRIVEFLEX



MULTIPURPOSE HOSES

TYPE: Variflex, Frontier, Gorilla, InstaGrip 250, InstaGrip 300, InstaGrip TC

Continental



WATER HOSES

TYPE: Sureline, Extremerflex, Versiflo 150 S&D, Fortress 300, Fortress 1200

Continental



CHEMICALS/FUEL HOSES

TYPE: Fabchem, Extremerflex EPDM 150, Fabchem EN12115, HiPer, NR Spray

Continental



FUEL HOSES

TYPE: Pacer, Marine Fuel Line USCG/SAE J1527 & ISO 7840, SAE J1527 Type A2 Fuel Fill, Infinity Fuel Drop, Softwall Wet Exhaust

Continental



PETROLEUM HOSES

TYPE: Arctic Extremerflex, Aggie Gas (No Static Wire), Redwing Fuel Oil

Continental



CONCRETE HOSES

TYPE: Allcrete Textile, Allcrete Wire

Continental



VACUPRESS SERIES

MATERIAL: Polyester Yarn Reinforced, Steel Spiral
APPLICATIONS: Food, Alcohol, Oils, Marine Waste

Continental



ARMORVIN SERIES

MATERIAL: PVC, Steel Spiral
APPLICATIONS: Industrial and Pneumatic Air & Oils, Dairy


Continental



AMERICA SERIES

MATERIAL: PVC, Steel Spiral
APPLICATIONS: Food, Wine, Oils, Pools, Fish, Irrigation & Sewage, Cold Climate

Continental



SPIRAL SERIES

MATERIAL: Polyester Yarn Reinforced, Steel Spiral
APPLICATIONS: Fumes, Food, Pools

Continental



SUPERFLEX SERIES

MATERIAL: Polyurethane, Steel Spiral (Copper/PU Coated)
APPLICATIONS: Food, Antistatic, High Temperature

Continental



BRAIDED SERIES

MATERIAL: Polyurethane, Polyester Yarn Braiding
APPLICATIONS: Spraying Insecticides & Pesticides, Pneumatic Tools, Medical Equipment, Robotics, Agriculture, Food, Diesel

Continental



SPIRAL GUARD SERIES

MATERIAL: Rigid Thermoplastic
APPLICATIONS: Hose protection (crushing, abrasion), Cable bundling

Continental



COMPONENTS IN MOTION

Tough conditions require tough solutions. Our Hardware and Hose ranges fit the bill.



IN-HOUSE HOSE 'CUT-TO-LENGTH- SERVICE'



Focused on Driving your success

Stuart and Jean Osborne, founded TransDev over 60 years ago, on the firm belief that our product offerings should seamlessly align with our customers' own pursuit of excellence.

This principle laid the foundation for our company's dedication to provide only the very finest power transmission products and brands available.

Today, we remain steadfast in upholding our core values, understanding that customers continue to seek high quality products and services that will actively contribute to their success.

Why settle for compromise when excellence is the shared cornerstone of our journey?



Transmission Developments Co (GB) Ltd

Dawkins Rd, Poole, Dorset, BH15 4HF

T +44 (0)1202 675 555 F +44 (0)1202 677 466

The content of this publication is not legally binding and is provided as information only.
Errors and Omissions excepted. Copyright © 2026 Transmission Developments Co (GB) Ltd.
All rights reserved. For complete information go to: www.transdev.co.uk



transdev.co.uk

TDCB1026/02